



New Generic Top-Level
Domains

Pre-Delegation Testing

Whois Search Test Cases

Version [G](#)

Författare 29/9/2015 13:17

Borttagen: F

File name: PDT_Whois_TC_Search.docx
Last saved: 2015-09-28

Copyright (c) 2013 Internet Corporation For Assigned Names and Numbers. All rights reserved.

Författare 29/9/2015 13:17

Borttagen: <sp> .

Document control

Document information and security

Made by	Responsible for fact	Responsible for document
Rickard Bellgrim	Rickard Bellgrim	Rickard Bellgrim

Security class	File name
External	PDT_Whois_TC_Search.docx

Revisions

Date	Version	Name	Description
2013-01-08	PA1	Rickard Bellgrim	Initial document
2013-01-11	PA2	Rickard Bellgrim	Update test cases
2013-01-24	PA3	Rickard Bellgrim	Update text
2013-02-06	PA4	Rickard Bellgrim	Update test cases after meeting with ICANN
2013-03-03	PA5	Rickard Bellgrim	No IP is required as input data; the IP will be resolved using the delegation data from the DNS tests.
2013-03-10	PA6	Rickard Bellgrim	Add DnsGlueRecord as input data
2013-04-08	B	Staffan Hagnell	Delivery D2 for production
2013-05-03	C	Amar Andersson	Released
2013-06-12	PD1	Rickard Bellgrim	Clarify the test cases
2013-06-24	PD2	Rickard Bellgrim	Clarify pass/fail criteria
2013-07-01	D	Mats Dufberg	Added reference to Registry Agreement. Released.
2013-07-08	PE1	Ulrika Ahlgren	Added test case Whois Search 00.
2013-07-08	PE2	Mats Dufberg	Updated Whois Search 00.
2013-07-09	E	Mats Dufberg	Released.
2014-01-17	F	Jan Sandström	Clarified ordered steps, numerous cases.
2015-09-28	G	Mats Dufberg	Test cases WhoisSearch05-08 removed. Test case WhoisSearch09 added. Explicit criteria for N/A, PASS and FAIL are added. Enforcement information added. This version is enforced at 2015-11-02.

LIST OF CONTENTS

1. INTRODUCTION	5
1.1 SCOPE	5
1.2 REFERENCES	5
1.2.1 External	5
1.2.2 Internal	5
1.2.3 Document Hierarchy	5
1.3 CONTEXT.....	5
1.4 NOTATION FOR DESCRIPTION	5
1.5 ENFORCEMENT	6
2. WHOIS SEARCH o0	7
2.1 TEST CASE IDENTIFIER	7
2.2 OBJECTIVE	7
2.3 INPUTS	7
2.4 OUTCOME(S)	7
2.5 ENVIRONMENTAL NEEDS	7
2.6 SPECIAL PROCEDURAL REQUIREMENTS.....	7
2.7 ORDERED DESCRIPTION OF STEPS TO BE TAKEN TO EXECUTE THE TEST CASE	7
3. WHOIS SEARCH o1.....	9
3.1 TEST CASE IDENTIFIER	9
3.2 OBJECTIVE	9
3.3 INPUTS	9
3.4 OUTCOME(S)	9
3.5 ENVIRONMENTAL NEEDS	9
3.6 SPECIAL PROCEDURAL REQUIREMENTS.....	9
3.7 INTERCASE DEPENDENCIES	9
3.8 ORDERED DESCRIPTION OF STEPS TO BE TAKEN TO EXECUTE THE TEST CASE	9
4. WHOIS SEARCH o2	11
4.1 TEST CASE IDENTIFIER	11
4.2 OBJECTIVE	11
4.3 INPUTS	11
4.4 OUTCOME(S)	11
4.5 ENVIRONMENTAL NEEDS	11
4.6 SPECIAL PROCEDURAL REQUIREMENTS.....	11
4.7 INTERCASE DEPENDENCIES	11
4.8 ORDERED DESCRIPTION OF STEPS TO BE TAKEN TO EXECUTE THE TEST CASE	11
5. WHOIS SEARCH o3	13
5.1 TEST CASE IDENTIFIER	13
5.2 OBJECTIVE	13
5.3 INPUTS	13
5.4 OUTCOME(S)	13
5.5 ENVIRONMENTAL NEEDS	13
5.6 SPECIAL PROCEDURAL REQUIREMENTS.....	13
5.7 INTERCASE DEPENDENCIES	13
5.8 ORDERED DESCRIPTION OF STEPS TO BE TAKEN TO EXECUTE THE TEST CASE	13
6. WHOIS SEARCH o4	15
6.1 TEST CASE IDENTIFIER	15
6.2 OBJECTIVE	15
6.3 INPUTS	15
6.4 OUTCOME(S)	15
6.5 ENVIRONMENTAL NEEDS	15
6.6 SPECIAL PROCEDURAL REQUIREMENTS.....	15
6.7 INTERCASE DEPENDENCIES	15

Borttagen: 5	
Författare 29/9/2015 13:17	
Borttagen: 5	
Författare 29/9/2015 13:17	
Borttagen: 5	
Författare 29/9/2015 13:17	
Borttagen: 5	
Författare 29/9/2015 13:17	
Borttagen: 5	
Författare 29/9/2015 13:17	
Borttagen: 5	
Författare 29/9/2015 13:17	
Borttagen: 5	
Unknown	
Ändrad fältkod	... [1]
Unknown	
Ändrad fältkod	... [2]
Unknown	
Ändrad fältkod	... [3]
Unknown	
Ändrad fältkod	... [4]
Unknown	
Ändrad fältkod	... [5]
Unknown	
Ändrad fältkod	... [6]
Unknown	
Ändrad fältkod	... [7]
Unknown	
Ändrad fältkod	... [8]
Unknown	
Ändrad fältkod	... [9]
Unknown	
Ändrad fältkod	... [10]
Unknown	
Ändrad fältkod	... [11]
Unknown	
Ändrad fältkod	... [12]
Unknown	
Ändrad fältkod	... [13]
Unknown	
Ändrad fältkod	... [14]
Unknown	
Ändrad fältkod	... [15]
Unknown	
Ändrad fältkod	... [16]
Unknown	
Ändrad fältkod	... [17]
Unknown	
Ändrad fältkod	... [18]
Unknown	
Ändrad fältkod	... [19]
Unknown	
Ändrad fältkod	... [20]
Unknown	
Ändrad fältkod	... [21]
Unknown	
Ändrad fältkod	... [22]
Unknown	
Ändrad fältkod	... [23]
Unknown	
Ändrad fältkod	... [24]
Unknown	
Ändrad fältkod	... [25]
Unknown	
Ändrad fältkod	... [26]
Unknown	
Ändrad fältkod	... [27]
Unknown	
Ändrad fältkod	... [28]
Unknown	
Ändrad fältkod	... [29]
Unknown	
Ändrad fältkod	... [30]
Unknown	
Ändrad fältkod	... [31]
Unknown	
Ändrad fältkod	... [32]
Unknown	
Ändrad fältkod	... [33]
Unknown	
Ändrad fältkod	... [34]

6.8	ORDERED DESCRIPTION OF STEPS TO BE TAKEN TO EXECUTE THE TEST CASE	15
7.	WHOIS SEARCH o5	17
7.1	TEST CASE IDENTIFIER	17
7.2	REMOVED.....	17
8.	WHOIS SEARCH o6	17
8.1	TEST CASE IDENTIFIER	18
8.2	REMOVED.....	18
9.	WHOIS SEARCH o7	19
9.1	TEST CASE IDENTIFIER	19
9.2	REMOVED.....	19
10.	WHOIS SEARCH o8	20
10.1	TEST CASE IDENTIFIER	20
10.2	REMOVED	20
11.	WHOIS SEARCH o9	21
11.1	TEST CASE IDENTIFIER	21
11.2	OBJECTIVE	21
11.3	INPUTS	21
11.4	OUTCOME(S)	21
11.5	ENVIRONMENTAL NEEDS	21
11.6	SPECIAL PROCEDURE REQUIREMENTS	21
11.7	INTERCASE DEPENDENCIES	21
11.8	ORDERED DESCRIPTION OF STEPS TO BE TAKEN TO EXECUTE THE TEST CASE.....	21
12.	GLOBAL	23
12.1	GLOSSARY	23
12.2	DOCUMENT CHANGE PROCEDURES	23

Unknown
Ändrad fältkod
Unknown
Ändrad fältkod
Unknown
Ändrad fältkod

Författare 29/9/2015 13:17
Formaterad: Tabbar: 1,5 cm, Left + Inte vid 1,31 cm
Unknown
Ändrad fältkod
Författare 29/9/2015 13:17
Borttagen: 7
Unknown
Ändrad fältkod
Författare 29/9/2015 13:17
Borttagen: 7
Unknown
Ändrad fältkod
Författare 29/9/2015 13:17
Borttagen: 7
Unknown
Ändrad fältkod
Författare 29/9/2015 13:17
Borttagen: 7
Författare 29/9/2015 13:17
Borttagen: PROCEDURAL
Unknown
Ändrad fältkod
Författare 29/9/2015 13:17
Borttagen: 7
Unknown
Ändrad fältkod
Författare 29/9/2015 13:17
Borttagen: 8. WHOIS SEARCH o6 . 18 . 11
Unknown
Ändrad fältkod
Författare 29/9/2015 13:17
Borttagen: 11
Unknown
Ändrad fältkod
Författare 29/9/2015 13:17
Borttagen: 11
Författare 29/9/2015 13:17
Borttagen: 23

1. Introduction

1.1 Scope

The Pre-Delegation Testing Provider will test the Whois service over port 43 (Whois) and 80/443 (HTTP/HTTPS), and verify the response format.

The test cases in this document focus on the Whois service over port 80/443 and the optional searchability. If the Registry Agreement states that the TLD has support for searchable whois, then the following test cases will be run and must be met.

1.2 References


1.2.1 External

- IEEE 829-2008
- ICANN gTLD Applicant Guidebook, Version 2012-06-04

1.2.2 Internal

- Pre-Delegation Testing, Statement of Work
- Pre-Delegation Testing, Master Test Plan
- Pre-Delegation Testing, Whois Test Plan

1.2.3 Document Hierarchy



1.3 Context

All tests, except for one, are performed over IPv4 from a single test node. The exception is one test that is performed over IPv6 from a single node to verify that the Whois search function is reachable and responds over IPv6.

Författare 29/9/2015 13:17

Borttagen: and

Författare 29/9/2015 13:17

Borttagen: one location

1.4 Notation for description

Each test case for the Whois service over port 80/443 and the searchability is described in their own chapter. The test procedures are described directly in the test case.

1.5 Enforcement

This version of this document (version G) is enforced at 2015-11-02. Prior to that date, see the previous version of this document.

2. Whois Search 00

2.1 Test case identifier

WhoisSearch00

2.2 Objective

The objective is to verify if [the](#) applicant is contractually obligated to support searchable [Whois](#) service. If the applicant will support searchable [Whois](#), the applicant must provide instructions on how to use [the searchable Whois](#) service.

2.3 Inputs

The following information will be needed as input for this test case:

Id	Description	Type
RegAgree	The Registry Agreement for the specific gTLD	Document
SearchWhoisDoc	URL to a manual for searchable whois for the specific gTLD	String

2.4 Outcome(s)

- If searchable [Whois](#) is required by the Registry Agreement for the specific gTLD then remainder of [the](#) test cases must be performed, and the applicant must provide instructions on how to use [searchable Whois](#) service.
- If [the](#) Registry Agreement does not require support for searchable [Whois](#) no other tests within this specification will be performed.

2.5 Environmental needs

- Web browser

2.6 Special procedural requirements

[Lookup time must not exceed](#) 10 seconds.

2.7 Ordered description of steps to be taken to execute the test case

1. Identify support for searchable [Whois](#) within Registry Agreement. Expected location is Exhibit A. Determine if support for searchable [Whois](#) is required by contract. If not, the test will end and the result of this test case and the following test cases are N/A.
2. If it exists continue:
 - a. Browse to [the](#) web page where information on how to use searchable [Whois](#) is stored.
 - b. Information must be stored in English.
 - c. Make a note on any visible information regarding how to use searchable [Whois](#).
 - d. [If the solution for searching is self-explanatory then no separate information is needed.](#)

[Criteria for N/A:](#)

- [Searchable Whois is not required by Exhibit A.](#)

Författare 29/9/2015 13:17

Borttagen: whois

Författare 29/9/2015 13:17

Borttagen: whois

Författare 29/9/2015 13:17

Borttagen: searchable whois

Författare 29/9/2015 13:17

Borttagen: whois

Författare 29/9/2015 13:17

Borttagen: searchable whois

Författare 29/9/2015 13:17

Borttagen:

Författare 29/9/2015 13:17

Borttagen: whois

Författare 29/9/2015 13:17

Borttagen: Abort the test if it takes longer than

Författare 29/9/2015 13:17

Borttagen: to get to the information page

Författare 29/9/2015 13:17

Borttagen: whois

Författare 29/9/2015 13:17

Borttagen: whois

Författare 29/9/2015 13:17

Formaterad

Författare 29/9/2015 13:17

Borttagen: whois

Författare 29/9/2015 13:17

Borttagen: whois

Criteria for PASS:

- Searchable Whois is required by Exhibit A, and
- enough information on how to use searchable Whois is available, and
- the information is in English, and
- the information is comprehensible and complete.

Criteria for FAIL:

- Searchable Whois is required by Exhibit A but is not available, or
- no information on how to use searchable Whois is available, or
- the information is not in English, or
- the information is incomplete or not comprehensible.

3. Whois Search 01

3.1 Test case identifier

WhoisSearch01

3.2 Objective

The objective is to verify the abuse protection.

3.3 Inputs

The following information will be needed as input for this test case:

Id	Description	Type
TLD	The ASCII compatible name of the TLD	String
WhoisCredentials	Optional credentials. E.g. username and password for accessing the Whois service	String
DnsGlueRecord	IPv4 or IPv6 addresses for auth NS	String

3.4 Outcome(s)

Abuse protection MUST exist for the Whois service.

3.5 Environmental needs

- Web browser
- IPv4 connectivity
- <WhoisIPv4> from resolving <whois.nic.TLD> using the delegation data.

3.6 Special procedural requirements

Whois query response time must not exceed 10 seconds.

3.7 Intercase dependencies

This test has no intercase dependencies.

3.8 Ordered description of steps to be taken to execute the test case

1. Resolve IP addresses of the host whois.nic.<TLD> using <DnsGlueRecord>. This result will also be used for subsequent tests.
2. Make sure that whois.nic.<TLD> resolves to <WhoisIPv4>.
3. Browse to http://whois.nic.<TLD>
4. Make a note on any visible abuse protection.
5. Access the service with <WhoisCredentials>, if required.

Criteria for N/A:

- Searchable Whois is not required by Exhibit A.

Författare 29/9/2015 13:17

Borttagen: Abort the test if any

Författare 29/9/2015 13:17

Borttagen: takes longer than

Författare 29/9/2015 13:17

Formaterat: Svenska

Författare 29/9/2015 13:17

Borttagen: ..

Författare 29/9/2015 13:17

Borttagen: optional

Författare 29/9/2015 13:17

Borttagen: >

Criteria for PASS:

- Abuse protection is used.

Criteria for FAIL:

- No abuse protection can be detected.

4. Whois Search 02

4.1 Test case identifier

WhoisSearch02

4.2 Objective

Manual search queries will be performed on the Whois IPv4 website. The objective is to verify the partial match capabilities.

4.3 Inputs

- Information on webpage in English on how to use the Searchable Whois.
- The following information will be needed as input for this test case:

Id	Description	Type
TLD	The ASCII compatible name of the TLD	String
WhoisCredentials	Optional credentials. E.g. username and password for accessing the Whois service	String
WhoisTestDomain	An existing domain which has Whois data	String

4.4 Outcome(s)

The Whois service MUST offer partial match capabilities.

4.5 Environmental needs

- Web browser
- IPv4 connectivity
- <WhoisIPv4> from resolving <whois.nic.TLD> using the delegation data.

4.6 Special procedural requirements

Whois query [response time must not exceed](#) 10 seconds.

4.7 Intercase dependencies

This test has no intercase dependencies.

4.8 Ordered description of steps to be taken to execute the test case

1. Make sure that whois.nic.<TLD> resolves to <WhoisIPv4>.
2. Browse to http://whois.nic.<TLD>
3. Access the service with <WhoisCredentials>, if required.
4. Perform a partial match search based on domain name. Use data from a previous domain query.
5. Perform a partial match search based on contact name. Use data from a previous domain query
6. Perform a partial match search based on registrant name. Use data from a previous domain query.

Författare 29/9/2015 13:17

Borttagen: Abort the test if any

Författare 29/9/2015 13:17

Borttagen: takes longer than

Författare 29/9/2015 13:17

Borttagen: optional

Författare 29/9/2015 13:17

Borttagen: >

7. Perform a partial match search based on contact postal address (e.g. street, city, state, or province). Use data from a previous domain query.
8. Perform a partial match searches based on registrant postal address (e.g. street, city, state, or province). Use data from a previous domain query.
9. The search results MUST include the domain name(s) matching the search criteria.

Författare 29/9/2015 13:17

Borttagen: names

Criteria for N/A:

- Searchable Whois is not required by Exhibit A.

Criteria for PASS:

- A partial match search based on domain name was successfully completed, and
- a partial match search based on contact name was successfully completed, and
- a partial match search based on registrant name was successfully completed, and
- a partial match search based on contact postal address was successfully completed, and
- a partial match search based on registrant postal address was successfully completed,
and
- all search results included the domain name(s) matching the search criteria.

Criteria for FAIL:

- Any search query failed to complete, or
- Any search result failed to include the domain name(s) matching the search criteria.

5. Whois Search 03

5.1 Test case identifier

WhoisSearch03

5.2 Objective

Manual search queries will be performed on the Whois IPv4 website. The objective is to verify the exact-match capabilities.

5.3 Inputs

- Information on webpage in English on how to use the Searchable Whois.
- The following information will be needed as input for this test case:

Id	Description	Type
TLD	The ASCII compatible name of the TLD	String
WhoisCredentials	Optional credentials. E.g. username and password for accessing the Whois service	String
WhoisTestDomain	An existing domain which has Whois data	String

5.4 Outcome(s)

The Whois service MUST offer exact-match capabilities.

5.5 Environmental needs

- Web browser
- IPv4 connectivity
- <WhoisIPv4> from resolving <whois.nic.TLD> using the delegation data.

5.6 Special procedural requirements

Whois query [response time must not exceed](#) 10 seconds.

5.7 Intercase dependencies

This test has no intercase dependencies.

5.8 Ordered description of steps to be taken to execute the test case

1. Make sure that whois.nic.<TLD> resolves to <WhoisIPv4>.
2. Browse to http://whois.nic.<TLD>
3. Access the service with <WhoisCredentials>, if required.
4. Perform an exact-match search based on registrar id. Use data from a previous domain query.
5. Perform an exact-match search based on name server name. Use data from a previous domain query.
6. The search results MUST include the domain [name\(s\)](#) matching the search criteria.

Författare 29/9/2015 13:17

Borttagen: Abort the test if any

Författare 29/9/2015 13:17

Borttagen: takes longer than

Författare 29/9/2015 13:17

Borttagen: optional

Författare 29/9/2015 13:17

Borttagen: >

Författare 29/9/2015 13:17

Borttagen: names

Criteria for N/A:

- Searchable Whois is not required by Exhibit A.

Criteria for PASS:

- An exact match search based on registrar id was successfully completed, and
- an exact match search based on name server name was successfully completed, and
- all search results included the domain name(s) matching the search criteria.

Criteria for FAIL:

- Any search query failed to complete, or
- Any search result failed to include the domain name(s) matching the search criteria.

6. Whois Search 04

6.1 Test case identifier

WhoisSearch04

6.2 Objective

Manual search queries will be performed on the Whois IPv4 website. The objective is to verify the Boolean search capabilities.

6.3 Inputs

- Information on webpage in English on how to use the Searchable Whois.
- The following information will be needed as input for this test case:

Id	Description	Type
TLD	The ASCII compatible name of the TLD	String
WhoisCredentials	Optional credentials. E.g. username and password for accessing the Whois service	String
WhoisTestDomain	An existing domain name which has Whois data	String

6.4 Outcome(s)

The Whois service **MUST** offer Boolean search capabilities.

6.5 Environmental needs

- Web browser
- IPv4 connectivity
- <WhoisIPv4> from resolving <whois.nic.TLD> using the delegation data.

6.6 Special procedural requirements

Whois query [response time must not exceed](#) 10 seconds.

6.7 Intercase dependencies

This test has no intercase dependencies.

6.8 Ordered description of steps to be taken to execute the test case

1. Make sure that whois.nic.<TLD> resolves to <WhoisIPv4>.
2. Browse to http://whois.nic.<TLD>
3. Access the service with <WhoisCredentials>, if required.
4. Perform a Boolean search using AND based on data from a previous domain query.
5. Perform a Boolean search using OR based on data from a previous domain query.
6. Perform a Boolean search using NOT based on data from a previous domain query.
7. The search results **MUST** include the domain [name\(s\)](#) matching the search criteria.

[Criteria for N/A:](#)

Författare 29/9/2015 13:17

Borttagen: Abort the test if any

Författare 29/9/2015 13:17

Borttagen: takes longer than

Författare 29/9/2015 13:17

Borttagen: optional

Författare 29/9/2015 13:17

Borttagen: >

Författare 29/9/2015 13:17

Borttagen: names

- Searchable Whois is not required by Exhibit A.

Criteria for PASS:

- A Boolean search using AND was successfully completed, and
- a Boolean search using OR was successfully completed, and
- a Boolean search using NOT was successfully completed, and
- all search results included the domain name(s) matching the search criteria.

Criteria for FAIL:

- Any search query failed to complete, or
- Any search result failed to include the domain name(s) matching the search criteria.

7. Whois Search 05

7.1 Test case identifier

WhoisSearch05

7.2 Removed

[This test case was removed in version G of this document.](#)

Författare 29/9/2015 13:17

Borttagen: <#>Objective
Description

... [44]

Författare 29/9/2015 13:17

Flyttad nedåt [1]: <#>Intercase
dependencies

Författare 29/9/2015 13:17

Borttagen: <#>Make a note on any visible
abuse protection.

... [45]

8. Whois Search 06

8.1 Test case identifier

WhoisSearch06

8.2 Removed

This test case was removed in version G of this document.

Författare 29/9/2015 13:17

Borttagen: <#>Objective

Description

... [46]

Författare 29/9/2015 13:17

Flyttad nedåt [2]: <#>Environmental needs

Författare 29/9/2015 13:17

Borttagen: <#>procedural requirement

... [47]

Författare 29/9/2015 13:17

Borttagen: has no intercase dependenc

... [48]

9. Whois Search 07

9.1 Test case identifier

WhoisSearch07

9.2 Removed

This test [case was removed in version G of this document.](#)

Författare 29/9/2015 13:17

Borttagen: <#>Objective
Description

... [49]

Författare 29/9/2015 13:17

Borttagen: has no intercase dependenc

... [50]

10. Whois Search 08

10.1 Test case identifier

WhoisSearch08

[10.2 Removed](#)

[This test case was removed in version G of this document.](#)

11. Whois Search 09

11.1 Test Case Identifier

WhoisSearch09

11.2 Objective

A manual search query will be performed on the Whois IPv6 website. The objective is to verify that the search is reachable and responds over IPv6.

11.3 Inputs

- Information on webpage in English on how to use the Searchable Whois.
- The following information will be needed as input for this test case:

Id	Description	Type
TLD	The ASCII compatible name of the TLD	String
WhoisCredentials	Optional credentials. E.g. username and password for accessing the Whois service	String
WhoisTestDomain	An existing domain name which has Whois data	String

11.4 Outcome(s)

The Whois service MUST be reachable over IPv6 and it MUST return a valid response.

11.5 Environmental needs

- Web browser
- IPv6 connectivity
- <WhoisIPv6> from resolving <whois.nic.TLD> using the delegation data.

11.6 Special procedure requirements

Whois query response time must not exceed 10 seconds.

11.7 Intercase dependencies

This test has no intercase dependencies.

11.8 Ordered description of steps to be taken to execute the test case

- Make sure that whois.nic.<TLD> resolves to <WhoisIPv6>.
- Browse to http://whois.nic.<TLD>
- Access the service with <WhoisCredentials>, if required.
- Verify that all communication is done over IPv6 and that no intermediate step is done over IPv4.
- Perform a search. Use the data from a previous domain query.
- The search result MUST be successful.

Criteria for N/A:

Författare 29/9/2015 13:17

Borttagen: Manual

Författare 29/9/2015 13:17

Borttagen: queries

Författare 29/9/2015 13:17

Borttagen: Boolean

Författare 29/9/2015 13:17

Borttagen: capabilities

Författare 29/9/2015 13:17

Borttagen: offer Boolean search capabilities. -

Författare 29/9/2015 13:17

Borttagen: connectivity

Författare 29/9/2015 13:17

Flyttad (infogning) [2]

Författare 29/9/2015 13:17

Borttagen: <WhoisIPv6> from resolving <whois.nic.TLD> using the delegation data. - Abort the test if any

Författare 29/9/2015 13:17

Borttagen: Abort the test if any

Författare 29/9/2015 13:17

Formaterat: Svenska

Författare 29/9/2015 13:17

Borttagen: takes longer than

Författare 29/9/2015 13:17

Flyttad (infogning) [1]

Författare 29/9/2015 13:17

Formaterad: Numrerad lista + Nivå: 1 + Numreringsformat: 1, 2, 3, ... + Starta vid: 1 + Justering: Vänster + Justerad vid: 0,63 cm + Indrag vid: 1,27 cm

Författare 29/9/2015 13:17

Borttagen: <#>Intercase dependence... [51]

Författare 29/9/2015 13:17

Borttagen: optional

Författare 29/9/2015 13:17

Borttagen: >

Författare 29/9/2015 13:17

Formaterad: Numrerad lista + Nivå: 1 + Numreringsformat: 1, 2, 3, ... + Starta vid: 1 + Justering: Vänster + Justerad vid: 0,63 cm + Indrag vid: 1,27 cm

Författare 29/9/2015 13:17

Borttagen: Boolean

Författare 29/9/2015 13:17

Borttagen: using AND based on

Författare 29/9/2015 13:17

Borttagen: <#>Perform a Boolean search using OR based on data from a previous domain query. - ... [52]

Författare 29/9/2015 13:17

Borttagen: results

- Searchable Whois is not required by Exhibit A.

Criteria for PASS:

- All communication is done over IPv6, and
- the search was successfully completed.

Criteria for FAIL:

- Some communication is done over IPv4, or
- the search did not successfully complete, or
- the search result did not include the domain name matching the search criteria.

Författare 29/9/2015 13:17

Borttagen: names

12. Global

12.1 Glossary

The glossary is available in the Master Test Plan.

12.2 Document change procedures

Document change procedures are documented in the Master Test Plan.