







































































































































commitment to begin the process of rectifying issues with either the monitoring service or the service being monitoring.

### 7.2. Emergency Escalation initiated by Registrars

Registry Operator will maintain an emergency operations departments prepared to handle emergency requests from registrars. In the event that a registrar is unable to conduct EPP transactions with the Registry because of a fault with the Registry Service and is unable to either contact (through ICANN mandated methods of communication) the Registry Operator, or the Registry Operator is unable or unwilling to address the fault, the registrar may initiate an Emergency Escalation to the emergency operations department of ICANN. ICANN then may initiate an Emergency Escalation with the Registry Operator as explained above.

### 7.3. Notifications of Outages and Maintenance

In the event that a Registry Operator plans maintenance, they will provide related notice to the ICANN emergency operations department, at least, 24 hours ahead of that maintenance. ICANN's emergency operations department will note planned maintenance times, and suspend Emergency Escalation services for the monitored services during the expected maintenance outage period.

If Registry Operator declares an outage, as per their contractual obligations with ICANN, on services under SLA and performance requirements, it will notify the ICANN emergency operations department. During that declared outage, ICANN's emergency operations department will note and suspend Emergency Escalation services for the monitored services involved.

## 8. Covenants of Performance Measurement

- 8.1. **No interference.** Registry Operator shall not interfere with measurement **Probes**, including any form of preferential treatment of the requests for the monitored services. Registry Operator shall respond to the measurement tests described in this Specification as it would do with any other request from Internet users (for DNS and RDDS) or registrars (for EPP).
- 8.2. **ICANN testing registrar.** Registry Operator agrees that ICANN will have a testing registrar used for purposes of measuring the **SLRs** described above. Registry Operator agrees to not provide any differentiated treatment for the testing registrar other than no billing of the transactions. ICANN shall not use the registrar for registering domain names (or other registry objects) for itself or others, except for the purposes of verifying contractual compliance with the conditions described in this Agreement.